DENTALEZ

CABINETS



Imagine

Radiance Operatory

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options





Radiance Operatory

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



CABINETS

Radiance Operatory	116
Rear Cabinet (12 O'clock)	116
Side Cabinets	119
Island Cabinet	121
Imagine + Operatory	125
Rear Cabinet (12 O'clock)	126
Side Cabinets	140
Island Cabinet	150
Operatory Mobile	157
Sterilization Centers	163
Orthodontic Cabinetry	170
Reception/Front Desk Cabinetry	180
Color Options	186
Warranty	187

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-12R-S77



IP-12R-S77





Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options







Description	Part Number	
Radiance 12 O'clock Treatment Non Pass Thru	IP-12R-77	
Radiance 12 O'clock Treatment Pass Thru	IP-12R-77PT	

Features (included in retail price)

Solid surface countertop

Frame front upper cabinet with Plexiglass windows; Resin inserts extra

Upper cabinet includes Radiance Illumination-side, task and top LED lighting with 9 adjustable shelves. (accommodates most manufacturers tub sizes)

Small equipment compartments on Doctor's and Assistant's side

LED task lighting and 20 amp outlets- USB port

Midsection designed to accommodate Nitrous built in Flo Meters

USB Hub and clock timer recessed

Shown with optional Lumicor resin insert windows

Dimensions	In Inches
Width	43 1/4"
Height	77"
Countertop Height	32 1/4"
Depth	22"
Shipping Weight	550 lb.

Radiance 12 O'clock Treatment 12R-ST77

Description	Part Number
Radiance 12 O'clock Treatment Non Pass Thru	IP-12R-ST77
Radiance 12 O'clock Treatment Pass Thru	IP-12R-ST77PT

Features (included in retail price)

Solid surface countertop with sliding top - Corian group 1-2 or Gibraltar group 1-3 countertop and work surface

Frame front upper cabinet with Plexiglass windows and lift up upper cabinet single door

Upper cabinet includes Radiance Illumination-side and top LED lighting with 9 adjustable Plexiglass tray shelves. (accommodates most manufacturers tub sizes)

Midsection Upper Cabinet with task LED lighting

Small equipment compartments on Doctor's and Assistant's side

LED task lighting and 20 amp outlets- USB port

Midsection designed to accommodate Nitrous built in Flo Meters

USB Hub and clock timer recessed

BDS Delivery system (not included)





Imagine + Operatory

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-12R-77 and IP-12R-ST77



Radiance Island Module with X-Ray Enclosure

Description	Part Number
Radiance 12 O'clock Treatment	IP-12R-77

Base Cabinet (A-C)

- A Base Module includes; 1 Side Flip Drop Drawer and 2 4" drawers 4 Drawers- Doctor's front facing
- B Base CPU Module
- Base Module includes; 1 SFIP Drop Drawer and 2 4" drawers 4 Drawers Assistant's front facing

Midsection (D)

- D 8" deep-Standard curved midsection or 10" deep to accommodate nitrous flow meter
- D Task LED lighting
- D USB Hub -Clock Timer recessed

Upper Cabinet (E)

- E 3 doors-frame front with Plexiglas (9 each) inserts
- E Glass shelves
- E Puck LED lighting
- E Side LED lighting

Solid Surface Countertop (F)

F Corian group 1-2 or Gibraltar group 1-3

Popular Options for 12R-77NPT and 12R-77PT

Description	Part Number	
Assistant's vacuum package	IP-AVP	
Nitrous Flow Meter	IP-CO/COMM	
Flush Monitor Mount - mounts to Midsection	IP-FMM	
Lumicor Resin Panels (3)-see standard choices	IP-GDIR	
Glass tray shelf each	IP-GTS	
Second HVE on AVP	IP-HVE2	
Left/Right unit with 3 HP positions, HVE, SE, SYR-7' Umbellical-Air-Water Regulators	IP-LRU-BDS-3150	
Retracting door system - Nitrous area	IP-RDS	
Side flip down drawer	IP-SFLIP	
Sliding monitor mount	IP-SMM	
Side drawers (4)	IP-SDRW4	
Under countertop unit mount	MT600	
X-ray shielding	IP-XRS	
Pivoting top – solid surface	IP-PT	
Solid Surface Countertop with sliding top – Corian or Gibraltar- Series A/B	IP-SST	

Imagine + Operatory

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-RSMS-64L and IP-RSMS-64R



Features

Standard Features-1" Solid Surface Top, Soft Close Doors and Drawers-Tapmaster and Glove Holder

Drawer cabinets standard: (1) 3 5/8", (1) 7 3/8", (1) 7", and (1) 8 1/4"

Bar handle pulls

14" drawer tracks

Soft close and extension drawer tracks

Waste compartment with 5" molded countertop drop and 36 quart waste container

In Inches

64"

Glove holder with stainless steel meter ring

Curved cabinet and countertop

Curved sink cabinet and countertop

13 5/8" diameter x 5 1/4" drop stainless steel sink


Tapmaster

Length

Dimensions

Depth	17"
Curved Area	19"
Height	32 1/2"
170	IP-RSM-64L
19.	STAINLESS STEEL TRIM RING
	14" TRACKS

CURVED DOORS



IP-RSMS-64L and IP-RSMS-64R

Description	Part Number
Radiance Doctor's/Assistant's Side Modules	IP-RSMS-64L
Radiance Doctor's/Assistant's Side Modules	IP-RSMS-64R


Popular Options

Description	Part Number
Radiance Soap Dispenser	IP-SD

RSM-64L and RSM-64R

RSM-64L and RSM-64R (less sink and Tapmaster)

Description	Part Number
Radiance Doctor's/Assistant's Side Modules	IP-RSM-64L
Radiance Doctor's/Assistant's Side Modules	IP-RSM-64R



Imagine + Operatory

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-RSMS-55L and IP-RSMS-55R



Features

1" Solid Surface Top, Soft Close Drawers and Doors-Tapmaster and Glove Dispenser included

Drawer cabinets standard: (1) 3 5/8", (1) 7 3/8", (1) 7", and (1) 8 1/4"

Bar handle pulls

14" drawer tracks


Soft close and extension drawer tracks

Waste compartment with 5" molded countertop drop and 36 quart waste container

Glove holder with stainless steel trim ring

13 5/8" diameter x 5 1/4" drop stainless steel sink

Tapmaster faucet combo (w/ foot activator with lock)



IP-RSMS-55L and IP-RSMS-55R


Description	Part Number
Radiance Doctor's/Assistant's Side Modules	IP-RSMS-55L
Radiance Doctor's/Assistant's Side Modules	IP-RSMS-55R

Popular Options

Description	Part Number
Radiance Soap Dispenser	IP-SD


IP-RSM-55L and IP-RSM-55R

Dimensions	In Inches
Length	55"
Depth	17"
Height	32 1/2"



IP-RSM-55L and IP-RSM-55R (less sink and Tapmaster)

Description	Part Number
Radiance Doctor's/Assistant's Side Modules	IP-RSM-55L
Radiance Doctor's/Assistant's Side Modules	IP-RSM-55R



Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-RIMX-104-88



IP-RIMX-104-88



Pass Thru Upper Storage Cabinet

Wash Station

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-RIMX-104-88



Radiance Island Module with X-Ray Enclosure as shown

Description	Part Number
Radiance Island Module with X-Ray Enclosure	IP-RIMX-104-88

Popular Options

Description	Part Number	
Glove, Tissue or C-Fold Dispenser	IP-GD-2	
Resin Door Inserts in center upper storage	IP-RDI	

Dimensions	In Inches
Width	104"
Height	88"
Countertop Height	33 1/2"
Depth	20 1/2"
Depth with X-Ray Columns	23 1/2"



Features

Solid surface countertop-Corian group 1-2 or Gibraltar group 1-3

Privacy center divider with LED task lighting and dual 20 amp electrical outlets

Upper storage cabinet with 4 Plexiglass shelves and frosted glass framed window inserts (4). Radiance illumination side and task LED lighting.

Privacy X-ray bifold storage door with 3 drawers on Assistant's side and 2 drawers on Doctor's side

Sink mirror with storage compartment with 2 melamine shelves

Vessel Sink in Brushed Nickel and Brushed Nickel sink faucet

Tapmaster foot control sink

RIMX-104-88 with Glass Bowl Option

Imagine + Operatory

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



RIMX-104-88



Radiance Island Module with X-Ray Enclosure

Description Part Number

Island module with X-ray enclosure – solid surface sink base – soft close doors and drawers-wash station with sink and tapmaster

A X-ray shielding and x-ray storage compartment IP-RIMX-104-88-XRS

B Drawer under X-ray compartment IP-RIMX-104-88-DWR

Pass thru base cabinet under X-ray storage
C compartment with 2 doors and 2 adjustable IP-RIMX-104-88-BCPT

Pass thru base cabinet under X-ray storage
C compartment with 2 doors and 2 adjustable shelves

D Pass thru base with drawers

IP-RIMX-104-88-BCD

Upper Storage cabinet with shelves and plexi
glass windows inserts (Pass Thru). Cabinet
has Radiance illumination side and LED task
lighting

F Wash Station with mirror, brushed nickel vessel sink and Tapmaster. N/A

Popular Options

Description	Part Number	
Glove, Tissue or C-Fold Dispenser	IP-GD-2	
Resin Door Inserts in center upper storage	IP-RDI	
Soap dispenser	IP-SD	
Tapmaster foot control deduction	IP-TMC	



Wash Station

Sink choices: glass, brushed nickel vessels, under mounted stainless steel or molded solid surface

Glass mirror has touch latch and opens to a medicament storage cabinet $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right) =\frac{1}$

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



Door Detail

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Cabinet Warranty

Island Upper Storage



Radiance Illumination Side LED



Island Upper Cabinet View



LED Lighting

PlexiGlass Shelves



124



Rear (12 O'clock) Cabinets

magine + Operatory

Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color Options


Cabinet Warranty



Ask about our custom cabinets!



IP-12T-S, IP-12T-SPT and IP-12T-SD, IP-12T-SDPT



12 O'Clock Treatment, IP-12T

Part Number	
IP-12T-S	
IP-12T-SPT	
IP-12T-SD	
IP-12T-SDPT	
	IP-12T-S IP-12T-SPT IP-12T-SD

Dimensions	In Inches
Length	43 1/4"
Depth	29" Retracted-36" Extended
Height	75"
Countertop	33 1/2"
Shipping Weight	600 lb.

Features

Includes Solid Surface Top Soft Close Doors

One storage cabinet with adjustable shelves (Dr's side)

Removable bottom for utility connections

Pullout work surface extends from 29" to 36"

12" task light and 20-amp outlet

Aluma steel base with leveling feet

IP-12T-S ONLY

One storage cabinet with pullout drawer (Asst's side)

Upper cabinet with adjustable tub and tray racks two adjustable shelves

(Accommodates most manufacturers tub sizes)

IP-12T-SD ONLY

Side cabinet with four drawers (Assistant's side)

Upper cabinet with adjustable shelves

magine + Operatory

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color Options

IP-12T-S, IP-12T-SPT and IP-12T-SD, IP-12T-SDPT








IP-AVP IP-UCMU





IP-KB/CW IP-CO/COMM



IP-SDO

12 O'Clock Treatment, IP-12T

Part Number	
IP-12T-S	
IP-12T-SPT	
IP-12T-SD	
IP-12T-SDPT	
	IP-12T-S IP-12T-SPT IP-12T-SD

Select Options

Description	Part Number	
Assistant's vacuum package	IP-AVP	
Cutout for communication panel	IP-CO/COMM	
Drawers on doctor's side (per drw)	IP-DRW/DRS	
Glass tray shelf (each)	IP-GTS	
Glass door inserts (per door)	IP-GDI	
Side door opening	IP-SDO	
Delivery System, beneath shelf mount	MT600BS	
Delivery System, top shelf mount	MT600TS	
IP-12T-S ONLY		


X-ray shielding for non pass thru cabinet	IP-12T-S/XRS
Sliding monitor mount	IP-SMM


IP-12T-SD ONLY


X-ray shielding for non pass thru cabinet 12T-SD/XRSIP-


Select Countertop Options

Solid Surface countertop









IP-GDI

IP-DRW/DRS

Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color **Options**





IP-12T-S-2 **Standard Non Pass-Thru**



12 O'Clock Treatment, IP-12T

Description	Part Number
12 O'clock Treatment Center (Standard)	IP-12T-S-2
12 O'clock Treatment Center (Passthru)	IP-12T-S-2PT

Select Options

Description	Part Number	
X-ray shielding for non pass thru cabinet	IP-12T-S-2/XRS	
Assistant vacuum package	IP-AVP	
Cutout for Communication panel	IP-CO/COMM	
Drawers on doctor's side (per drawer)	IP-DRW/DRS	
Glass door (inserts per door)	IP-GDI	
Glass tray shelf (each)	IP-GTS	
Keyboard/w Mouse Tray	IP-KB/CWT	
Side Door Option	IP-SDO	
Sliding monitor mount	IP-SMM	
Tapmaster foot control	IP-TMC	
Delivery System, beneath shelf mount	MT600BS	
Delivery System, top shelf mount	MT600TS	

Select Countertop Options

Solid Surface countertop

Features


- Upper cabinet with two fully adjustable tub and tray racks 12" task light and 20-amp outlet
- B Side cabinet with four drawers including one flip drawer (Assistant's side)
- C One storage cabinet with adjustable shelves and drawers (Doctor's side)
- CPU storage with vents (Accommodates most manufacturers tub sizes)
- E Pullout work surface extends from 29" to 36"
- F Separate base with leveling feet. Removable bottom for utility connections



IP-12T-S-2PT

Standard Pass-Thru

IP-AVP



IP-CO/COMM




IP-UCMU




IP-GTS



IP-KB/CW





IP-SDO



IP-GDI



IP-DRW/DRS

Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

IP-12T-SK, IP-12T-SKPT



IP-12T-SKPT

Standard Pass-Thru

IP-12T-SK

Standard Non Pass-Thru



Description	Part Number
12 O'clock Treatment Center (Standard)	IP-12T-SK
12 O'clock Treatment Center (Passthru)	IP-12T-SKPT

Select Options


Description	Part Number	
X-ray shielding for non pass thru cabinet	IP-12T-S-2/XRS	
Assistant vacuum package	IP-AVP	
Glass door inserts per door	IP-GDI	
Glass tray shelf (each)	IP-GTS	
Keyboard/w Mouse Tray	IP-KB/CWT	
Soap dispenser (each)	IP-SD	
Side Door Option	IP-SDO	
Side flip drawer	IP-SFLIP	
Tapmaster foot control	IP-TMC	
Delivery System, beneath shelf mount	MT600BS	
Delivery System, top shelf mount	MT600TS	

Select Countertop Options

Solid Surface countertop

Features

- Upper cabinet with two fully adjustable tub and tray racks, two adjustable shelves, 12" task light and 20 amp outlet
- B One sink cabinet with 36qt waste container
- One storage cabinet with pullout drawer
- (Accommodates most manufacturers tub sizes)
- D 15"x 15"x 6" stainless steel sink with single lever faucet
- E Pullout work surface extends from 30 to 38"
- F Separate base with leveling feet. Removable bottom for utility connections






IP-AVP





IP-UCMU







IP-SDO



IP-SFLIP

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

IP-12T-L

Part Number



12 O'Clock Treatment, IP-12T-L

12 O'clock Treatment Center (Standard)	IP-12T-L
Dimensions	In Inches
Length	43 1/4"
Depth	29" Retracted-37" Extended

Height 56 5/8" 33 1/2" Countertop Height Pullout Regular top 22" - 23"

Select Options

Description

Description	Part Number	
X-ray shielding for non pass thru cabinet	IP-12T-S-2/XRS	
Assistant vacuum package	IP-AVP	
Drawers on doctor's side (per drw)	IP-DRW/DRS	
Side door opening	IP-SDO	
Side drawers (4)	IP-SDRW4	
Side flip drawer	IP-SFLIP	
Upper Cabinet	IP-UW 4230	

Select Countertop Options

Solid Surface countertop

Features

1" Solid Surface Top, Soft Close Doors and Drawers and Upper Cabinet


One storage cabinet with adjustable shelves. (Doctor's side)

One storage cabinet with pullout shelves. (Assistant's side)

Removable bottom for utility connections

Pullout work surface extends from 29" to 36"

Separate base with leveling feet










IP-DRW/DRS



IP-SDO



IP-SDRW4

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

IP-12B-37 and IP-12B-37PT

12 O'Clock Treatment

Description Part Number

12 O'clock Treatment Center (Standard) IP-12B-37

12 O'clock Treatment Center (Passthru) IP-12B-37PT

Dimensions	In Inches
Length	37 1/4"
Depth upper	15 1/4"
Depth lower	17 1/4" (@c'top)
Height	75"
Countertop	36"

Select Options

Description Part Number

IP-12B-37PT MUST BE BOLTED TO FLOOR

X-ray shielding for non pass thru cabinet
Glass Door Insert, in laminate door, per door
Keyboard/w mouse tray
Sliding monitor mount
White Vent Grill 10 x 4 1/4
IP-12B-37/XRS
IP-GDI
IP-KB/CWT
IP-KB/CWT
IP-SMM



Upper cabinet with two fully adjustable tub and tray racks, and glass door inserts. (Accommodates most manufacturers tub sizes)

Lower cabinet with removable bottom for utility connections

One storage cabinet with pullout shelves. (Assistant's side)

Task lighting and 20 amp outlets

Separate base with leveling feet



IP-VG

IP-12B-37PT

Standard Pass-Thru



IP-KB/CWT



IP-12B-37

Standard Non Pass-Thru

IP-SMM



IP-GDI



IP-12B-37/LAM

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-12B-43 and IP-12B-43PT

12 O'Clock Treatment

Description Part Number 12 O'clock Treatment Center (Standard) IP-12B-43 12 O'clock Treatment Center (Passthru) IP-12B-43PT

Dimensions	In Inches
Length	43 1/4"
Depth upper	15 1/4"
Depth lower	17 1/4" (@c'top)
Height	75"
Countertop	36"

Select Options

Description Part Number

IP-12B-43PT MUST BE BOLTED TO FLOOR

X-ray shielding for non pass thru cabinet IP-12B-43/XRS Glass Door Insert, in laminate door, per door IP-GDI IP-KB/CWT Keyboard/w mouse tray Sliding monitor mount IP-SMM Vent Grill IP-VG B101



Upper cabinet with two fully adjustable tub and tray racks (Accommodates most manufacturers tub sizes)

Glass door inserts


Task lighting and 20 amp outlets

B Lower cabinet

Removable bottom for utility connections

Separate base with leveling feet






IP-GDI

IP-12B-43PT


Standard Pass-Thru



IP-12B-43

Standard Non Pass-Thru





Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

Cabinet Warranty

132 TABLE OF CONTENTS

IP-12T-HT and IP-12T-HTST

12 O'Clock Treatment, IP-12T

Description Part Number IP-12T-HT 12 o'clock Treatment High Tech 12 o'clock Treatment High Tech (Pass Thru) IP-12T-HTPT 12 o'clock High Tech Unit IP-12T-HTST-2 w/Sliding Top 12 o'clock High Tech Unit IP-12T-HTST-PT-2 w/Sliding Top (Pass Thru - NEW)

Dimensions	In Inches
Width	43 1/4"
Height	75"
Countertop Height	33 1/2"
Depth	22"
Shipping Weight	550 lb.

Features

Includes 1" Solid Surface Top, Soft Close Doors and Drawers

A Upper cabinet with fully adjustable tub/tray racks

Two adjustable shelves (Accommodates most manufacturers tub sizes)

Task lighting and 20amp outlet

- B Communications panel cutout
- Cabinet for clean water system/nitrous
- D Small equipment compartment
- E Cabinet for CPU storage
- F Separate base with leveling feet
- G Side drawers

IP-12T-HTST AND IP-12T-HTST-PT ONLY


H Pull out work surface

Standard Non Pass-Thru IP-12T-HTPT

Standard Pass-Thru


A

IP-12T-HTST-PT-2 **Standard Pass-Thru**



IP-12T-HT





Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

Operatory Mobile

Sterilization

Centers

IP-12T-HT and IP-12T-HTST

Part Number

Part Number

IP-AVP

IP-GDI

IP-GTS

IP-SDO

IP-SDRW4

IP-SFLIP

IP-SMM


IP-VG B101


MT600BS

MT600TS

IP-12T-HT/XRS

IP-CO/COMM







X-ray shielding for non pass thru cabinet

Glass Door Insert, in laminate door

Delivery System, beneath shelf mount

Assistant's Vacuum Package

Glass Tray Shelves-each

Nitrous Flow Meter

Side Door Opening

Sliding monitor mount

White Vent Grill 10 x 4 1/4

Side Drawers (4)

Side flip drawer

IP-12T-HT 12 o'clock Treatment High Tech 12 o'clock Treatment High Tech (Pass Thru) IP-12T-HTPT 12 o'clock High Tech Unit IP-12T-HTST-2 w/Sliding Top 12 o'clock High Tech Unit IP-12T-HTST-PT-2 w/Sliding Top (Pass Thru - NEW)



IP-DRW/DRS




Description

Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

> Color **Options**

Cabinet Warranty



IP-SDO



IP-SFLIP




Delivery System, top shelf mount Additional Options: IP-12T-HTST-2 and IP-12T-HTSTPT-2 Second HVE on AVP IP-HVE-2 Left / Right Dual Purpose Arm IP-LRU & Instrumentation Retracting Door (Side) IP-RDS


IP-KB/CW

IP-GTS





IP-LRU



IP-SMM

IP-VG

IP-CO/COMM TABLE OF CONTENTS

134

IP-RSU-96



Description Part Number 12 o'clock Treatment Standard IP-RSU-96

Dimensions	In Inches
Width	96"
Height	75"
Countertop Height	33 1/2"
Depth	22" (@ c'top)

Standard

Price as shown


Includes Solid Surface, Soft Close Doors and Drawers

12 O'clock treatment center and two wash stations


- 12 O'clock upper cabinet with fully adjustable tub/tray rack, two adjustable
- B Two upper cabinets with glove and cup/towel dispensers
- C One 15" Nitrous cabinet with retracting door
- D Two base cabinets with four drawers each




Features



E Sliding/pullout work surface





Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

IP-RRSU-96

Imagine + Operatory

Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Cabinet Warranty



Features

Includes Solid Surface, Soft Close Doors and Drawers

12 O'clock treatment center and two wash stations

- A 12 O'clock upper cabinet with fully adjustable tub/tray rack, two adjustable shelves (Accommodates most manufacturer's tub sizes)
- B Two upper cabinets with glove and cup/towel dispensers
- C One 15" Nitrous cabinet with retracting door
- D Two base cabinets with four drawers each
- E Sliding/pullout work surface


IP-RSU-96




Part Number


IP-RSU-96







IP-CO/COMM









IP-SD

Select Options Description Part Number IP-AVP Assistant's Vacuum Package Nitrous Flow Meter IP-CO/COMM Glass Door Insert, in laminate door IP-GDI cost per door Left/Right Dual Purpose Arm & IP-LRU Instrumentation Soap Dispenser IP-SD-C Sliding monitor mount IP-SMM Single Tapmaster Foot Control IP-TMC Delivery System, beneath shelf mount MT600BS Delivery System, top shelf mount MT600TS

12 O'Clock Treatment, 12T-HT

Description

12 o'clock Rear Support



Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color **Options**


Cabinet Warranty




IP-UCMC



IP-LRU





137 TABLE OF CONTENTS

IP-LW-12T and IP-LW-12B

12 O'Clock Treatment



Dimensions	In Inches
Width	43 1/4"
Height	80"
Countertop Height	33"
Depth	22" - 23" (@ c'top)

Features

IP-LW-12T

Includes 1" Solid Surface Top, Soft Close Doors and Drawers

Upper cabinet with fully adjustable tub/tray racks

Task lighting and 20amp outlet

CPU Storage in center upper cabinet

Two pullout work surfaces

ICW monitor mount

Separate base with leveling feet

Center panel for monitor


IP-LW-12T and IP-LW-12T-PT (additional features)

Small equipment compartment


Cabinet for clean water system/nitrous

IP-LW-12B and IP-LW-12B-PT (additional features)


Drawers on doctor and assistant side



IP-LW-12T-PT **Standard Pass-Thru**



IP-LW-12B **Standard Non Pass-Thru**



Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color **Options**

Cabinet Warranty

IP-LW-12B-PT **Standard Pass-Thru**


IP-LW-12T and IP-LW-12B



IP-GDI



IP-SPLIT VAC



IP-RDS



Description	Part Number	
12 O'clock Dual Pullout	IP-LW-12T	
12 O'clock Dual Pullout Pass Thru	IP-LW-12T-PT	
12 O'clock Dual Pullout	IP-LW-12B	
12 O'clock Dual Pullout Pass Thru	IP-LW-12B-PT	

Select Options

Description	Part Number
Glass door inserts, per door	IP-GDI
USB Hub	IP-USBHUB

Retracting nitrous door	IP-RDS
X-ray shielding for non pass thru cabinet	IP-12T/XRS



Options for IP-LW12T AND IP-LW12T-PT ONLY


Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry


Color Options



IP-USB HUB

Imagine

Operatory Side Modules



Imagine + Operatory

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-AM-55L and IP-AM-55R



Assistants Side Cabinets

Description	Part Number
Assistants Side Cabinet (Sink on Left Side)	IP-AM-55L
Assistants Side Cabinet (Sink on Right Side)	IP-AM-55R

Select Options

Description	Part Number
15x15 S/S sink w/SL faucet	IP-1-570
Flip down drawer	IP-FDD
Keyboard (in lieu of top drawer)	IP-KB
Porcelain sink upgrade (white)	IP-PS/W
Soap dispenser	IP-SD
Tapmaster foot control	IP-TMC

Select Countertop Options

Select Colors

Countertop:	
Cabinets:	
Accent:	
PVC:	
Base:	
Pulls:	
Sink Right of Left	
Cabinet TOTAL:	\$

Dimensions	In Inches
Length	55"
Depth	19"
Height	33 1/2"

Features

Includes Solid Surface and Top and Tapmaster

Drawer cabinet (standard) (3)3 5/8' (1)7" (1)8 1/4"

Waste compartment with 5" molded countertop drop and 36 quart waste container

Removable accent panels

Separate base with leveling feet

Soft Close doors and drawers

1" Solid Surface top with undermount sink



IP-SD







magine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry


Color Options

Cabinet Warranty

IP-AM-55R Right Side

IP-AMR-56L and IP-AMR-56R





Rounded Assistants Side Cabinets

Description	Part Number
Assistants Module with Round End (Sink on Left Side)	IP-AM-55L
Assistants Module with Round End (Sink on Right Side)	IP-AM-55R

Select Options

Description	Part Number
13" Round sink w/SL faucet	IP-DI-13
Flip down drawer	IP-FDD
Keyboard (in lieu of top drawer)	IP-KB
Soap dispenser	IP-SD
Tapmaster foot control	IP-TMC

Select Countertop Options

Select Colors

Countertop:	
Cabinets:	
Accent:	
PVC:	
Base:	
Pulls:	
Sink Right of Left	
Cabinet TOTAL:	\$
Dimensions	In Inches
Length	56"
Depth	19"
Height	33 1/2"

Features

Includes Solid Surface and Top and Tapmaster

Drawer cabinet (standard) (3)3 5/8' (1)7" (1)8 1/4"

Waste compartment with 5" molded countertop drop and 36 quart waste container

Stainless steel sink and faucet

Removable accent panels

Separate base with leveling feet

Soft Close doors and drawers

1" Solid Surface top with undermount sink









magine + Operatory

Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-DM5-78L and IP-DM5-78R



IP-DM5-78R Right Side	
	IP-DRW/DFI

	IP-DRW/DEL	
3235	IP-SD	



Description	Part Number
With Tapmaster (Sink on Left Side)	IP-DM5-78L
With Tapmaster (Sink on Right Side)	IP-DM5-78R

Select Options

Description	Part Number	
Flip down drawer	IP-FDD	
Keyboard (in lieu of top drawer)	IP-KB	
Drawer over delivery system	IP-DRW/DEL	
Side delivery unit	3235	
Select Sink/Plumbing Options		
15"x15" S/S sink w/SL faucet	IP-1-570	
Tapmaster foot control	IP-TMC	

IP-SD

Select Colors

Soap Dispenser

Select Colors	
Countertop:	
Cabinets:	
Accent:	
PVC:	
Base:	
Pulls:	
Sink Right of Left	
Cabinet TOTAL: \$	
Dimensions	In Inches
Length	78"
Depth	19"
Height	33 1/2"
Open Area	34"

Features

Includes Solid Surface and Top and Tapmaster

Drawer cabinet (standard) (3)3 5/8' (1)7" (1)8 1/4"

Waste compartment with 5" molded countertop drop and 36 quart waste container

Reinforced rear panel for delivery system mounting

Removable bottom for utility connections

Stainless steel sink and faucet

Removable accent panels

Separate base with leveling feet

1" Solid Surface top with undermount sink







Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry


Reception/ Front Desk Cabinetry


Color **Options**

Cabinet Warranty

IP-TMC

IP-DM5R-82L and IP-DM5R-82R





Rounded Doctor's Side Delivery Cabinets

Description	Part Number
With Tapmaster (Sink on Left Side)	IP-DM5R-82L
With Tapmaster (Sink on Right Side)	IP-DM5R-82R

Select Options

Description	Part Number	
15"x15" S/S sink w/SL faucet	IP-1-570	
Drawer over delivery system	IP-DRW/DEL	
Flip down drawer	IP-FDD	
Pullout writing surface	IP-POWS	
Soap dispenser	IP-SD	
Side Delivery Unit	3235	
Tapmaster foot control	IP-TMC	

Select Colors

Countertop:	
Cabinets:	
Accent:	
PVC:	
Base:	
Pulls:	
Sink Right of Left	
Cabinet TOTAL:	\$
Dimensions	In Inches

Dimensions	In Inches
Length	82"
Depth	19"
Height	33 1/2"
Open Area	34"

Features

Includes Solid Surface and Top and Tapmaster

Drawer cabinet (standard) (3)3 5/8' (1)7" (1)8 1/4"

Waste compartment with 5" molded countertop drop and 36 quart waste container

Reinforced rear panel for delivery system mounting

Removable bottom for utility connections

Stainless steel sink and faucet

Removable accent panels

Separate base with leveling feet

1" Solid Surface top with undermount sink









IP-FDD

Imagine +

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-DM1-78L and IP-DM1-78R





Doctor's Side Delivery Cabinets

Description	Part Number
With Tapmaster (Sink on Left Side)	IP-DM1-78L
With Tapmaster (Sink on Right Side)	IP-DM1-78L

Select Options

Description	Part Number
15"x15" S/S sink w/SL faucet	IP-1-570
Soap dispenser	IP-SD
Tapmaster foot control	IP-TMC

Select Colors

Countertop:	
Cabinets:	
Accent:	
PVC:	
Base:	
Pulls:	
Sink Right of Left	
Cabinet TOTAL:	\$

Dimensions	In Inches
Length	78"
Depth	19"
Height	33 1/2"
Open Area	34"

Features

Includes Solid Surface and Top and Tapmaster

One 3 5/8" drawer over delivery system

Storage cabinet with two adjustable shelves

Waste compartment with 5" molded countertop drop and 36 quart waste container

Reinforced rear panel for delivery system mounting

Removable bottom for utility connections

Stainless steel sink and faucet

Removable accent panels

Separate base with leveling feet

1" Solid Surface top with undermount sink









Imagine +

Operatory Mobile


Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-DM1R-82L and IP-DM1R-82R





Rounded Doctor's Side Delivery Cabinets

Description	Part Number
With Tapmaster (Sink on Left Side)	IP-DM1R-82L
With Tapmaster (Sink on Right Side)	IP-DM1R-82L

Select Options

Description	Part Number	
15"x15" S/S sink w/SL faucet	IP-1-570	
Pullout work surface	IP-POWS	
Soap dispenser	IP-SD-C	
Side Delivery Unit	3235	
Tapmaster foot control	IP-TMC	

Select Colors

Countertop:	
Cabinets:	
Accent:	
PVC:	
Base:	
Pulls:	
Sink Right of Left	
Cabinet TOTAL:	\$

Dimensions	In Inches
Length	82"
Depth	19"
Height	33 1/2"
Open Area	34"

Features

Includes Solid Surface and Top and Tapmaster

One 3 5/8" drawer over delivery system

Storage cabinet with two adjustable shelves

Waste compartment with 5" molded countertop drop and 36 quart waste container

Reinforced rear panel for delivery system mounting

Removable bottom for utility connections

Stainless steel sink and faucet


Removable accent panels

Separate base with leveling feet

1" Solid Surface top with undermount sink









magine +

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-OC-42SL **Left Side**

IP-OC-42SR

Right Side

IP-OC-42SL and IP-OC-42SR



Part Number IP-OC-42SL

Side Sink Cabinets with Tapmaster (Right Side)

IP-OC-42SR

Select Options

Description	Part Number
15"x15" S/S sink w/SL faucet	IP-1-570
Flip down drawer	IP-FDD
Soap dispenser	IP-SD-C
Tapmaster foot control	IP-TMC
Lower accent panel (each)	IP-LAP

Select Colors

Countertop:	
Cabinets:	
PVC:	
Base:	
Pulls:	
Sink Right of Left	
Cabinet TOTAL:	\$
Dimensions	In Inches

Difficilolofic	111 11101100
Length	42"
Depth	19"
Height	33 1/2"
Shipping Weight	250 lb.

Features

Includes 1" Solid Surface Top and Tapmaster Foot Control

Drawer cabinet (standard) (3)3 5/8" (1)7" (1)8 1/4"


Waste compartment with 5" molded countertop drop and 21 quart waste container

Stainless steel under mount sink and faucet

Solid surface top

Description	Part Number
15"x15" S/S sink w/SL faucet	IP-1-570
Flip down drawer	IP-FDD
Soap dispenser	IP-SD-C
Tapmaster foot control	IP-TMC
Lower accent panel (each)	IP-LAP







IP-TMC

IP-FDD

Side Sink Cabinets with Tapmaster (Left Side)

Sterilization Centers

Operatory

Mobile

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

IP-XRPT-4853

Description Part Number

X-Ray Pass-Thru Cabinet IP-XRPT-4853

Select Options

X-Ray Pass-Thru Cabinet

Description	Part Number
X-ray shielding	IP-XRPT-4853-01
Trim Kit, For X-ray Pass-Thru Cabinet	IP-XRPT-4853-02
Custom sizes available to fit any size rough opening or X-ray unit	
Call For Quote	

Select Colors

Cabinets:	
PVC:	
Pulls:	
Cabinet TOTAL:	\$

Features


Bi-fold doors fold flat for maximum access


All plywood construction


Double end panel for x-ray equipment mounting

Outside Dimensions	In Inches
Width	48"
Height	53"
Depth	16"
Inside Dimensions	In Inches
Width	45 3/4"
Height	51 1/2"
Depth	14"
Rough Opening Required	In Inches
Width	48 1/2"
Height	53 1/2"

Wall Opening Details







Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-UCTG-1824

Option

IP-Wash Station - 32

Select Options

Description	Part Number
13" Round S/S sink w/SL faucet	IP-D-13
Tapmaster foot control	IP-TMC
Soap dispenser	IP-SD-C
Glove/cup/towel upper	IP-UCTG-1284

Select Colors

Countertop:	
Cabinet:	
PVC:	
Base:	
Pulls:	
Cabinet TOTAL:	\$

Features

Waste compartment with 5" molded countertop drop and 36-quart waste container Stainless steel under mount sink and faucet Laminated top only with self-edge and loose splash

Outside Dimensions	In Inches
Length	32"
Width	21 7/8"
Height	33 1/2" c'top

T Wall Sink/Glove Dispenser Cabinet

Description	Part Number
Sink Base Cabinet - 32 with solid surface top	IP-Wash Station 32
Sink Base Cabinet - 32 square sink option	Wash Station SQ

Description	Part Number
13" Round S/S sink w/SL faucet	IP-D-13
Tapmaster foot control	IP-TMC
Soap dispenser	IP-SD-C
Glove/cup/towel upper	IP-UCTG-1284

Countertop:	
Cabinet:	
PVC:	
Base:	
Pulls:	
Cabinet TOTAL:	\$





IP-SD-C

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Imagine

Island modules



Imagine + Operatory

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color Options




IP-IM-98 and IP-IMR-98, 88" High Island





Doctors Side



Standard Island Module

Description	Part Number
88" High Island	IP-IM-98
88" High Island Rounded Includes Solid Surface Top	IP-IMR-98

Dimensions	In Inches
Length	98 1/4"
Depth	20 1/2"
Height	98"
Countertop	33 1/2"

Features

IP-IM-98 and IP-IMR-98 Modules included in starting price \$11,977.00

1" Solid Surface Top, Soft Close Drawers and Doors

A Upper pass-thru cabinet with laminate doors

B Privacy center divider with task lighting and outlets (20 amps) on Assistant's side and Doctors side

B Upper storage cabinet with adjustable shelf and cup/towel dispenser

B X-ray column is reinforced with plywood and adaptable to any X-ray and/or light mount

B Removable bottom for utility connections

B Side delivery compartment with back panel accepts most delivery systems

C Privacy panel- equipment end

D Doctor side: (2) drawers- (1)3 5/8" and (1)6 1/4"

D Assistant side: (3) drawers- (1)3 5/8" and (2)6 1/4"

IP-IM-98 Module: Waste compartment with countertop drop and 36-quart

E waste container, Under mount stainless steel sink and faucet. Separate base with leveling feet

IP-IMR-98 Module: Rounded Waste compartment with countertop drop

E and 36-quart waste container, Under mount stainless steel sink and faucet. Separate base with leveling feet

F Equipment end

Imagine + Operatory

Operatory Mobile


Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry


Color Options

IP-IMR-98 Round, 88" High Island














Description Part Number 88" High Island Rounded Includes Solid Surface Top IP-IMR-98

Select Options


Description	Part Number	
Glove or tissue dispenser	IP-GD-2	
Glass door inserts (per door)	IP-GDI	
Passthru base with drawers	IP-IM-98/BCDM	
Passthru base cabinet under x-ray	IP-IM-98/BCPT	
Drawer under x-ray	IP-IM-98DWR	
X-ray shielding	IP-IM-98XRS	
Radiance Soap dispenser (each)	IP-SD	
Tapmaster foot control	IP-TMC	

Select Colors

Countertop:	
Cabinest:	
Accent:	
PVC:	
Base:	
Pulls:	
Cabinet TOTAL:	\$



IP-IM-98/DRW



IP-IM-98/BCPT

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-IMX-105

Assistants Side

IP-IMX-105 and IP-IMRX-104



Description Part Number 88" HIgh Island with Square Waste Compartment IP-IMX-105

Dimensions	In Inches
Length	105"
Depth	20 1/2"
Height	88"
Countertop	33 1/2"

Features

IP-IMX-105 and IP-IMRX-104 Modules included in starting price

1" Solid Surface Top, Soft Close Drawers and Doors, Glove Inserts and Undermount Sink

- A Upper pass-thru cabinet with laminate doors
- Privacy center divider with task lighting and outlets (20 amps) on Assistant's side and Doctor's side
- B Upper storage cabinet with adjustable shelf and cup/towel dispenser
 - X-ray column is reinforced with hardwood plywood and adaptable to any
- X-ray and/or light mount. Removable bottom for utility connections. Side delivery compartment with back panel accepts most delivery systems
- C Privacy bi-fold X-Ray doors- equipment end
- Doctor side: (2) drawers- (1)3 5/8" and (1)6 1/4"
- D Assistant side: (3) drawers- (1)3 5/8" and (2)6 1/4"


IP-IMX-105 Module: Square Waste compartment with countertop drop and 36-quart waste container, Stainless steel under mount sink and faucet. Separate base with leveling feet

IP-IMRX-104 Module: Round Waste compartment with countertop drop

- and 36-quart waste container, Stainless steel under mount sink and faucet. Separate base with leveling feet
- F Equipment end

IP-IMRX-104 **Doctors Side**

IP-IMX-105 Doctors Side



IP-IMRX-104 Island Module with X-Ray Enclosure

Description	Part Number	
88" HIgh Island with Round Waste Compartment	IP-IMRX-104	
Dimensions	In Inches	
Length	104"	
Depth	20 1/2"	
Height	88"	
Countertop	33 1/2"	
X-Ray Compartment	20" x 40 5/8" (I/S)	
Shipping Weight	1,080 lb.	

Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

IP-IMX-105 and IP-IMRX-104



Description Part Number

Standard Island Module includes solid surface top with stainless steel under mount sink


IP-IMX-105

IP-IMRX-104 Round Island Module with X-Ray Enclosure


Description	Part Number
Round Island Module includes solid surface top with stainless steel under mount sink	IP-IMRX-104


Select Options

Description		Part Number	
Soap dispens	er (each)	IP-SD	
Glass Door In	sert, in laminate door	IP-GDI	
Glove Dispens	ser Double	IP-GD-2	
Tapmaster foo	ot control	IP-TMC	
Drawer Under	X-ray	IP-IMX-105/DWR IP-IMRX-104/DRW	
Add Fascia To	Ceiling (up to 12")	IP-IMX-105/DWR IP-IMRX-104/FASCIA	
X-ray Shieldin	g	IP-IMX-105/XRS IP-IMRX-104/XRS	
Pass Thru Ba	se w/Drawers	IP-IMX-105/BDCM IP-IMRX-104/BDCM	
Base Cabinet	Under X-ray (Pass Thru)	IP-IMX-105/BCPT IP-IMRX-104/BCPT	










IP-IMX-105/DWR IP-IMRX-104/DRW



IP-IM-105/BCDM



IP-IMX-105/BCPT IP-IMRX-104/BCPT



IP-IMX-105/FASCIA
IP-IMRX-104/FASCIA

magine +

Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-IMM-78, 75" High Island




IMM-78 Mini Island Module, 75" High Island

Description Part Number
Solid Surface Top, Soft Close Drawers and Doors IP-IMM-78

Options

Description	Part Number
Glove or tissue dispenser	IP-GD-2
X-ray shielding	IP-IMM-78/XRS
Soap dispenser (each)	IP-SD
Tapmaster foot control	IP-TMC

Dimensions	In Inches
Length	77 3/4"
Depth	20 1/2"
Height	75"
Countertop	33 1/2"
Weight	108 lb.



Features

- A Upper storage cabinet with adjustable shelf and cup/towel dispenser
- X-ray column is reinforced with hardwood plywood and adaptable to any X-ray and/or light mount, and 20 AMP electric outlet


Doctor side: (2) drawers- (1)3 5/8" and (1)6 1/4"

C Assistant side: (3) drawers- (1)3 5/8" and (2)6 1/4" Removable bottom for utility connections

Waste compartment with front door drop and 21-quart waste container.

- D Solid Surface top with stainless under mount steel sink.
 Separate base with leveling feet
- E One storage cabinet with adjustable shelves on Doctor's side

IP-SD





IP-TMC

Imagine +

Operatory Mobile


Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-IMMR-80, 75" High Island





IP-IMMR-80 Mlni Island Module, 75" High Island

Description Part Number
Solid Surface Top, Soft Close Drawers and Doors IP-IMMR-80

Options

Description	Part Number	
Glove or tissue dispenser	IP-GD-2	
X-Ray Shielding	IP-IMM-80/XRS	
Soap dispenser (each)	IP-SD	
Tapmaster foot control	IP-TMC	

Dimensions	In Inches
Length	80"
Depth	22"
Height	75"
Countertop	33 1/2"
Weight	108 lb.

Features

- A Upper storage cabinet with adjustable shelf and cup/towel dispenser
- X-ray column is reinforced with hardwood plywood and adaptable to any X-ray and/or light mount, and 20 AMP electric outlet


Doctor side: (2) drawers- (1)3 5/8" and (1)6 1/4"


C Assistant side: (3) drawers- (1)3 5/8" and (2)6 1/4" Removable bottom for utility connections


Round waste compartment with front door drop and 21-quart waste container.

- D Solid Surface top with stainless under mount steel sink.
 Separate base with leveling feet
- E One storage cabinet with adjustable shelves on Doctor's side

IP-SD







magine +

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color Options

Imagine

Operatory Mobiles






Imagine + Operatory

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-AM4-31 and IP-AM4-34

Operatory Mobile Cabinets

Description Part Number Doctor's Mobile Cabinet (5 drawers) IP-AM4-31

Select Options

Description	Part Number
Electric power strip	IP-EPS
Storage well organizer	IP-SWO
Dimensions	In Inches
Height	30 5/8"
Width	21 1/4"

19 3/4"

Features

Depth

Metabox drawer system

3 drawers - 3 5/8"

1 drawer - 5"

1 drawer - 8"

Available in most colors

Operatory Mobile Cabinets

Description	Part Number
Doctor's Mobile Cabinet (6 drawers)	IP-AM4-34

Select Options

Description	Part Number
Electric power strip	IP-EPS
Storage well organizer	IP-SWO

Dimensions	In Inches
Height	33 5/8"
Width	21 1/4"
Depth	19 3/4"

Features


Metabox drawer system

4 drawers - 3 5/8"


1 drawer - 5"

1 drawer - 7 1/4"


Available in most colors



IP-AM4-31 **Five Drawer Cabinet**



IP-AM4-34 **Six Drawer Cabinet**



158




TABLE OF CONTENTS

Imagine + Operatory

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**



IP-AM8-31 and IP-AM8-34



Description Part Number North Carolina Assistants Mobile (4 drawers) IP-AM8-31

Select Options

Description	Part Number
Electric power strip	IP-EPS
Storage well organizer	IP-SWO
Dimensions	In Inches

Dimensions	In Inches
Height	31 1/4"
Width	21 1/4"
Depth	20 1/2"

Features

IP-AM8-31

Four Drawer Cabinet

Metabox drawer system

1 flip down drawer

2 drawers - 3 5/8"

1 drawer - 6 3/4"

Pullout work surface on left side

Available in most colors

Operatory Mobile Cabinets

Description	Part Number
North Carolina Assistants Mobile (5 drawers)	IP-AM8-34

Select Options

Description	Part Number
Electric power strip	IP-EPS
Storage well organizer	IP-SWO

Dimensions	In Inches
Height	33 5/8"
Width	21 1/4" (34" Extend)
Depth	19 3/4"

Features

Metabox drawer system

1 flip down drawer


3 drawers - 3 5/8"

1 drawer - 6"

Pullout work surface on left side

Available in most colors





Imagine + Operatory

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

Imagine + Operatory

IP-AM6

Operatory Mobile Cabinets

Description Part Number Oregon/Alabama Assistant's Mobile (4 drawers) IP-AM6

Select Options

Description	Part Number
Electric power strip	IP-EPS
Front to back sliding top	IP-FTB
Storage well organizer	IP-SWO

Dimensions	In Inches
Height	31 1/8"
Width	21 1/4" (32 11/16" Extend)
	(44 1/8" Slide range)
Depth	20 1/2"

Features

IP-AM6

Four Drawer Cabinet

Equipment well 8 1/2" deep

Metabox drawer system

3 drawers - 3 5/8"


1 drawer - 6 3/4"


Post formed sliding top

Available in most colors









IP-SWO

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-EM4-31 and IP-EM8-31

Operatory Mobile Cabinets

Description Part Number Doctor's Mobile (5 drawers) IP-EM4-31

Select Options

Description	Part Number
Electric power strip	IP-EPS
Storage well organizer	IP-SWO

Select Color Options

Countertop/Cabinet Available only in: White, Grey, Almond, or Surf White pulls

No variations to the economy units are available.

Dimensions	In Inches
Height	30 5/8"
Width	21 1/4"
Depth	20 1/2"

Features

IP-EM4-31

Five Drawer Cabinet

Metabox drawer system

3 drawers - 3 5/8"

2 drawers - 5 1/2"

1 drawer - 7 1/2"

Operatory Mobile Cabinets

Description	Part Number	
North Carolina Assistant's Mobile (4 drawers)	IP-EM8-31	

Select Options

Description	Part Number
Electric power strip	IP-EPS
Storage well organizer	IP-SWO

Select Color Options

Countertop/Cabinet Available only in: White, Grey, Almond, or Surf

No variations to the economy units are available.

Dimensions	In Inches
Height	30 5/8"
Width	21 1/4" (34" extended)
Depth	20 1/2"


Features


Metabox drawer system


1 drawer - 9" flip down

2 drawers - 3 5/8"

1 drawer - 6 3/4"







161

Imagine + Operatory

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

IP-EM6

IP-EM6

Operatory Mobile Cabinets Part Number

Select Options

Alabama Assistant's Mobile (? drawers)

Description

Description	Part Number
Electric power strip	IP-EPS
Front to back sliding top	IP-FTB
Storage well organizer	IP-SWO

Select Color Options

Countertop/Cabinet Available only in: White, Grey, Almond, or Surf White pulls

No variations to the economy units are available.

Dimensions	In Inches
Height	30 5/8"
Width	21 1/4" (32 1/2" Extend)
	(48 1/4" Slide range)
Depth	20 1/2"

Features

IP-EM6

Assistant's Cabinet

Equipment well 8 1/2" deep


Metabox drawer system


Sliding top

3 drawers - 3 5/8"

1 drawer - 5 1/2"

1 drawer - 8 /1/8"







Imagine + Operatory

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

Imagine

Sterilization Centers

Imagine + Operatory

Operatory Mobile

Sterilization

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options





Sterilization Centers

Imagine + Operatory


Operatory Mobile

Sterilization

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



IP-TSC-8 Sterilization Center

Sterilization Center

Description Part Number

1"Solid Surface Top, Soft Close Drawers and
Doors, Tapmaster Foot Control

IP-TSC-8

Features

Delta Euro Faucet with pullout spray
Tapmaster foot control
Wrapping drawers (2)
Soft Close doors and drawers
Towel/Glove dispenser
Pullout shelves
Task lighting and valance
Upper cabinets with blue light, tray storage

20" x 19" Stainless steel under mount sink

Dimensions In Inches

Length 94 1/4"

Depth 26 1/2"

Height 87"

Imagine + Operatory

Operatory Mobile

> Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Cabinet Warranty

IP-TSC-8

Sterilization Cabinet

IP-TSC-8

With Recessed Ultrasonic

With Drop Down Ultrasonic


IP-TSC-8 Sterilization Center

Sterilization Center

Description	Part Number
8' Center With Recessed Ultrasonic	IP-TSC-8
8' Center With Drop Down Ultrasonic	IP-TSC-8

Select Options


Description	Part Number	
Bag storage 18"	IP-BAGSTOR	
Double Autoclave stack cabinet	IP-DBLAC	
Recessed Ultrasonic cut-out	IP-RUL	
Soap dispenser	IP-SD-C	
Vacuum with grommet	IP-VAC	




IP-DBLAC




IP-SD-C




IP-RUL



IP-VAC



IP-BAGSTOR



IP-TSC-8

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-TSC-9 Sterilization Center

Sterilization Center

Description Part Number Solid Surface Top, Soft Close Drawers and Doors, IP-TSC-9 **Tapmaster Foot Control**

Select Options

Description	Part Number
Bag storage 18"	IP-BAGSTOR
Double Autoclave stack cabinet	IP-DBLAC
Recessed Ultrasonic cut-out	IP-RUL
Soap dispenser	IP-SD-C
Vacuum with grommet	IP-VAC

Dimensions

Length Depth

Height

Features

20" x 19" Stainless steel under mount sink

Delta Euro Faucet with pullout spray

Tapmaster foot control

Wrapping drawers (2)

Soft Close doors and drawers

Towel/Glove dispenser


Pullout shelves

Task lighting and valance


Upper cabinets with blue light, tray storage

Glass door inserts

Heat shield



TRASH CAN BY ILS TO BE LINED WITH **BIOHAZARDOUS BAG BY OTHERS**






IP-DBLAC

SOAKING TUB


Sterilization Center

IP-TSC-9

IP-SD-C IP-RUL



IP-VAC



In Inches 107 1/4"

26 1/2"

84"

IP-BAGSTOR

Imagine + Operatory

Operatory Mobile

Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

Heat Shield

IP-TSC-10

Sterilization Center

PRESOAKING TUB

IP-TSC-10 Sterilization Center

Sterilization Center

Description Part Number

Solid Surface Top, Soft Close Drawers and Doors,
Tapmaster Foot Control

Select Options

Description	Part Number
Bag storage 18"	IP-BAGSTOR
Double Autoclave stack cabinet	IP-DBLAC
Drop down Ultrasonic	IP-DDUL
Recessed Ultrasonic cut-out	IP-RUL
Soap dispenser	IP-SD-C
Vacuum with grommet	IP-VAC

Features

Soild surface counter top

20" x 19" Stainless steel under mount sink

Delta Euro Faucet with pullout spray

Tapmaster foot control

Wrapping drawers (2)

Soft Close doors and drawers

Towel/Glove dispenser


StarBoard pullout shelves

Task lighting and valance

Upper cabinets with blue light, tray storage

Glass door inserts

Soaping tub




Dimensions	In Inches
Length	116 1/4"
Depth	25 1/2"
Height	84"



168

IP-DBLAC








TABLE OF CONTENTS

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-TSC-12 Sterilization Center

Sterilization Center

Description Part Number

Solid Surface Top, Soft Close Drawers and Doors,
Tapmaster Foot Control

IP-TSC-12

Select Options

Description	Part Number
Bag storage 18"	IP-BAGSTOR
Double Autoclave stack cabinet	IP-DBLAC
Drop down Ultrasonic	IP-DDUL
Recessed Ultrasonic cut-out	IP-RUL
Soap dispenser	IP-SD-C
Vacuum with grommet	IP-VAC

Features

Soild surface counter top

20" x 19" Stainless steel under mount sink

Delta Euro Faucet with pullout spray

Tapmaster foot control

Wrapping drawers (2)

Soft Close doors and drawers

Towel/Glove dispenser


StarBoard pullout shelves


Task lighting and valance

Glass door inserts

Pre-soaking tub

Clean storage upper cabinets with blue light, tray storage







IP-TSC-12

Sterilization Center

IP-RUL






TABLE OF CONTENTS

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Imagine

Orthodontic Cabinetry

Imagine + Operatory


Operatory Mobile

Sterilization Centers

> Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color Options





IP-ORISR-01



Orthodontic 5 Bay Island

Description	Part Number
5 Bay Ortho Island	IP-ORISR-01

Select Options

Description	Part Number
2 Hand piece automatic unit	2520
Flip down drawer	IP-FDD
Fiber Optics for one handpiece	1700-021-CS
Suction added to delivery head	1408-CS
Water bottle	IP-WBOT

Select Color Options

Laminate countertop only Included

Select Colors

Countertop:	
Cabinets:	
PVC:	
Pulls:	
Cabinet TOTAL:	\$

Dimensions	In Inches
Diameter	72"
Lazy Susan	24"
Height	33 1/2"

Features

(5) Five drawer cabinets

24" Lazy Susan

Provisions for five dental units


Metabox drawer system

Separate base with leveling feet

Easy access removable panels for dental unit utilities hook-up

Available with 2 or 3 handpiece panel mounted units

Customizing Available







Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

IP-ORISRH-01

Imagine + Operatory


Operatory Mobile


Sterilization Centers

> Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options





HEAVY DUTY 16"

FULL EXTENSION TRACK

IP-ORISRH-01

Orthodontic Round Island

Description Part Number IP-ORISRH-01 Ortho Round Island

Select Options

Description	Part Number
Tapmaster foot control	IP-TMC

Select Countertop Options

Laminate countertop Included

Select Colors

Countertop:	
Cabinets:	
PVC:	
Pulls:	
Cabinet TOTAL:	\$

Dimensions	In Inches
Diameter	72"
Overall Height	105"
Counter Height	36"

Features

Upper tower includes:

Provisions for two flat screen monitors

Upper storage cabinet with towel glove dispenser

Center column providing easy access for wiring

Wall mounted keyboard arms

Base cabinet includes:

Rounded face sink cabinets

13" Round stainless steel sinks with single lever faucet.


Separate base with leveling feet

Rounded face storage cabinet with pullout shelves


Vented CPU compartments

Waste drop in countertop and 36qt container below

Customizing Available



SECTION THRU PULLOUT DRAWER



Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color **Options**

IP-ORIS-01

Imagine + Operatory


Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry


Reception/ Front Desk Cabinetry

Color Options



IP-ORIS-01





Orthodontic 4 Bay Island

Description	Part Number
4 Bay Ortho Island	IP-ORIS-01

Select Options

Description	Part Number
Delivery System, beneath shelf mount	MT600BS
Delivery System, top shelf mount	MT600TS
Suction added to delivery head	1408-CS
Tapmaster foot control	IP-TMC

Select Countertop Options

Laminate countertop

Select Colors

Countertop:	
Cabinets:	
PVC:	
Pulls:	
Cabinet TOTAL:	\$

Dimensions	In Inches
Length	116"
Depth	38"
Height	75"
Counter Height	33 1/2"

Features

4 banks of five drawer cabinet

Upper pass-thru tray cabinet

Provisions for four dental units

Cut and towel dispenser at each sink

Convenience outlets at each station

Pass-thru upper storage cabinets

Stainless steel waste drops at each station

Gooseneck faucets

3 glove dispensers at each sink

Pass-thru storage at mid section

Stainless steel sinks

Separate base with leveling feet

Customizing Available

Imagine + Operatory

Operatory Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Imagine + Operatory

IP-AM-6-OR



Orthodontic 5 Bay Island

Description	Part Number
Ortho Cabinet with 2 Handpiece Automatic Unit	IP-AM-6-OR

Select Options

Description	Part Number
Solid surface top -No Charge	IP-AM-6-OR/SS
Fiber Optics for one handpiece	1700-021-CS
Water bottle	IP-WBOT

Select Colors

Countertop:	
Cabinets:	
PVC:	
Pulls:	
Cabinet TOTAL:	\$

Dimensions	In Inches
Height	31 1/8"
Width	21 1/4"
Depth	20 1/2"

Features

Includes 1/2" solid surface top

8 1/2" Deep equipment well

Four drawers

3 drawers - 3 5/8"

1 drawer - 6 3/8"

Metabox drawer system

2 Handpiece automatic control-w/water bottle

HVE, SE, Vacuum canister

Utility center

Non-retraction water coolant

Master on/off with visual indicator

Disc-type foot control

Remote mounted hanging bar

Three-way syringe

Manual shut-off valves

Air and water filters and regulators


7' Umbilical

Operatory Mobile

Sterilization Centers

Reception/ Front Desk Cabinetry

Color Options



IP-BRU-02

Brushing Station

Description	Part Number
Includes 1 inch Solid Surface Top,sinks and faucets	IP-BRU-02

In Inches
57"
19"
33 1/2"

Features


Double bowl brushing station

Solid Surface Countertop

single lever faucets and chrome strainer

Waste drop with 36qt container below

Toothbrush holder mounted in countertop



Imagine + Operatory

Operatory Mobile

Sterilization Centers

Reception/ Front Desk Cabinetry

Color Options

IP-BRU-03

Brushing Station

Description Part Number Includes 1 inch Solid Surface IP-BRU-03 Top, sinks and faucets

Dimensions	In Inches
Width	86 1/2"
Depth	19"
Counter Height	30 1/4", 33 1/2", 36 1/4"

Features

Three tier brushing station

(3) 13" round stainless steel sinks with single lever



Imagine + Operatory

Operatory Mobile

Sterilization Centers

Reception/ Front Desk Cabinetry

Color **Options**

IP-TSO, IP-TSR, IP-OTS and IP-UWCH

Chart Storage

Description Part Number

Open Chart Storage IP-TSO-3013-84

Dimensions	In Inches
Width	30"
Height	84"
Depth	13"





Chart Storage

Description Part Number

Chart Storage - Chart file cabinet IP-TSR-4914-93 with retracting doors

In Inches
49"
84"
14"



Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Cabinet Warranty

Chart Storage

Description Part Number

Closed Chart Storage - Cabinet with four hinged doors

Part Number

IP-OTS-3313-84

Dimensions	In Inches
Width	33"
Height	84"
Depth	14"





Chart Storage

Description Part Number

Wall Hung Chart Storage IP-UWCH-4239

Dimensions	In Inches
Width	42"
Height	39"
Depth	13"





Reception/ Business Area

Imagine + Operatory


Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry


> eception/ ront Desk abinetry

Color Options





Desks



SBD

Straight Front Desk

Straight Front Desk

Description	Part Number	
Straight Business Front Desk	SBD	

Dimension	ns	In Inches
Length		96"
Depth		28"
Counter H	leight	30 1/4"
Check Wr	iter Height	46"

Features

BFC-3 three drawer base file cabinet

BFC-2 two drawer base file cabinet

KB-24 Keyboard pullout

PD-24 pencil drawer

Pigeon hole units

Business desk counter top

Business transaction center

Imagine + Operatory

Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Cabinet Warranty



Consultation Desk

Description	Part Number	
Consultation Desk	СТ	

Dimensions	In Inches
Length	60"
Depth	30"
Height	30 1/4"

Features

"L" shape counter top with full radius on end

Cylinder leg support

Desks

Imagine + Operatory

Operatory Mobile


Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Cabinet Warranty



Curved Business Desk

Description	Part Number
Curved Business Desk	CBD

Dimensions	In Inches
Length	82"
Depth	82"
Counter Height	30 1/4"
Check Writer Height	46"

Features

BFC-3 three drawer base file cabinet

BFC-2 two drawer base file cabinet

KB-24 Keyboard pullout

PD-24 pencil drawer

CRD two chart rack files

Pigeon hole units


Business desk counter top

Business transaction center

Two leg brace

ILS face wall

Curved Front Desk Exterior Concepts




46" CHECKWRITER

30 1/4" HT COUNTERTOP

Wall With Recess Panels


44 1/2" ILS WALL

Typical Wall With 1/3 & 2/3 Panels



Wall With Base Molding

46" CHECKWRITER 44 1/2" ILS WALL 30 1/4" HT COUNTERTOP



Wall With Equal Panels

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk

Color Options

Cabinet Warranty

183

Imagine +

Straight Front Desk Exterior Concepts

46" CHECKWRITER
44 ½" ILS WALL
30 1/4" HT COUNTERTOP

Typical Wall

Wall With Recess Panels


Operatory
Operatory
Mobile

Sterilization Centers


Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options



Wall With 1/3 & 2/3 Panels



Wall With Equal Panels



Accessories & Delivery Systems

See our Forest

Delivery Unit section.

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

> eception/ ront Desk

Color Options



Imagine + Operatory

Operatory Mobile

Sterilization

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Cabinet Warranty

Centers

Cabinet Laminate Color Selections



Windsor Mahogany



Derring Forest



Tuscan Walnut



Veranda Teak W/A



Asian Night



Brazilwood



Studio Teak



White Cypress



Phantom Pearl



Vapor Strandz



Grey



Linen



Cocobala



5th Avenue Elm



North Sea



Phantom Ecru



Phantom Charcoal



Designer White



Shadow



Skyline Walnut



Nightfall

Cabinet Countertop Color Selections

Midnight Melange
Mink Concrete
Frosty White Mirage
Designer White
Coconut Oil
Moonscape Quartz
Sea Oat Quartz
Whitewater
Soothing Grey

Zen Grey

Sandy Riverstorm
Milk Glass Spectra
Grey Beola
Bluestone
White Granite
Silver Smoke
Desert Sand
Graphite Granite
Grey Granite
Wallowa

Silver Grey
Artista Grey
Antarctica Corian
Artic Melange Wilsonart
Baja Melange Wilsonart
Moonstone Meganite
Platinum Granite Maganite
Rocky Road Granite Maganite
Silver Mist Maganite
Starry Starry Night Maganite

Imagine + Ordering Information

Radiance Operatory

• All orders must be placed through an authorized DENTALEZ Dealer.

- Orders taken by phone are processed according to our understanding of your verbal instructions.
- Please include the following information with your order.

Purchase Order Number Color of Cabinets Shipping Address Shipping Color of Tops

Date Required Method of Color of Accent Panels (where applicable)

Shipping Quantity Accessories and Options

Model and/or Part Number Pulls or Touch latches (If Pulls give Color)

Description

 To ensure that your order is processed correctly, we suggest that your order be accompanied by a layout indicating the overall top dimensions and cabinet arrangement.

DENTALEZ can supply custom work. Please contact the factory with your special requirements.

 We are constantly striving to improve our products, and we reserve the right to make modifications without the need for prior notification. Nor are we obligated to modify previously manufactured items. Every order received by phone is acknowledged in writing. It is your responsibility to check acknowledgments. Carefully against your order to ascertain it is correct.

ELECTRICAL

All outlets are UL approved, 20 amp.

TERMS

- All payments are Net 30 days.
- A service charge of 2% per month will be charged on accounts over 30 days.
- Customer is responsible for payment of all costs and expenses of collection of any debt to DENTALEZ including but not limited to attorney fees, court costs, and any other costs associated with collection.

SHIPPING

- Carrier is responsible for damage or loss in transit. Any external damage should be noted on receipt as "received in bad
 condition" and contact carrier (within 2 days) and arrange for inspection. If concealed damage is found when cabinets are
 unpacked, a "request for inspection" to the carrier must be made within 10 days.
- Unless exact shipping instructions are indicated with your order, shipment will be determined by DENTALEZ
- All shipments are made F.O.B. Cinnaminson, NJ, freight collect unless otherwise specified.

RETURN POLICY

- Cabinets will not be accepted for return without prior authorization. If written consent is given for a return, credit will be issued for the original invoice price less transportation cost, less 15% restocking charge.
- Custom designed cabinets or special colors (non standard) are not returnable.
- You must supply copy of original invoice and reasons for return with your return authorization request.
- All cancellations must be confirmed in writing. Any order in process at the time the cancellation is received is subject to a charge of 15% or more, depending on the amount of work completed.

WARRANTY

DENTALEZ warrants its products to be free from defects in material and workmanship and agrees to remedy any such defect, or to furnish a new or equal part in exchange. Staining, discoloration, or deterioration of laminate caused by disinfectant solutions, X-ray processing solutions, and other solvents and chemicals are not covered under this warranty. No other warranties are expressed or implied. This warranty shall extend for five years from date of original purchase, provided such product is used for the purpose for which it is intended, and the damage is not the result of abuse or misuse. This warranty does not cover damage resulting from improper installation, or accidents incurred in shipping and handling.

DISCLAIMER

DENTALEZ reserves the right to change, modify or delete any product and/or price without prior notice.
 DENTALEZ is not responsible for typographical errors in this catalog.

CUSTOMER SERVICE

- DENTALEZ customer service is available by phone Monday thru Friday, 8:00 am to 5:00 pm, EST.
- In the event that you experience difficulty with the application or operation of any of our products, please contact our customer service department at our expense at 866.DTE.INFO.

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Radiance Operatory

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Cabinet Warranty

Notes

Radiance Operatory

Imagine + Operatory

Operatory Mobile

Sterilization Centers

Orthodontic Cabinetry

Reception/ Front Desk Cabinetry

Color Options

Cabinet Warranty

DENTALEZ CORPORATE 301 Lindenwood Drive, Ste.100 Malvern, PA 19355

> T: 800.293.5206 F: 610.725.9894 DENTALEZ.COM

Visit DSXsales.com to find your local representative. For DENTALEZ, Forest, Ramvac, and Imagine + orders and/or questions please call our Customer Experience Representatives at 866.DTE.INFO.

Regarding Radiance cabinet customer service, please contact ILS at ilsdental.com/contact.

2024 DENTALEZ, Inc. All rights reserved. DENTALEZ, Star and Dentoform are registered trademarks and Imagine + and Nevin are trademarks of DENTALEZ INC.

Ramvac is a registered trademark of Ramvac Dental Products Inc.